


LCD Enclosure Global - Anything else is a compromise.



Applications.

This new range of LCD displays is purpose built to operate as a digital poster suitable for applications in retail; public service such as hospitals, financial institutions and places of entertainment such as a gym or cinema. They are supplied with a wall mount for mounting in Portrait mode and can also be mounted in landscape too.

Each display includes an integrated media player that will accept CF or SD media cards or USB memory sticks.

If you have an application where a continuous display of images or text is required and where the data is only changed occasionally but with ease, then this is a very cost effective solution.

Simply insert a SD Memory Card and power on. The screen automatically starts playing the images, video and music that are loaded onto the card. You can set the play order and interval time of each slide and start and stop times, giving you complete control over every aspect of your digital presentation.

Specifications.

Model	32V
Display	32"
Resolution	1366 x 768
Size(mm)	610 x 914.4 x 66
Display area(mm)	394.4 x 698.8
Brightness	500 cd/m2 max
Ratio	16:9
Contrast ratio	3000:1 typ
Input voltage	AC110~240V(50Hz~60Hz)
Working temp	0°C to 50°C
Media formats	VIDEO(MPEG,AVI,Divx,Xvid,VOB),MP3,JPEG

LCD Enclosure Global - Anything else is a compromise.

Memory	2GB
Audio	2W,8Ω
Port	SD/USB
Default start mode	JPEG,MP3
Hanging hole(mm)	510x565(Landscape or portrait hanging), 400x200(VESA),200x200(VESA)
Box details(mm)	1096 x 816 x 254
Accessories	AC Cable, CD, Key, Remote Control, Hanging board

Call now for more information:

European Office Number +44 (0)844 3578687
USA Office Number 1-888-460-3573