


**LCD Enclosure Global - Anything else is a compromise.**



## **40" Digital Poster**




**40"**



- **Replace traditional posters and signs**
- **Modern appearance, jaw dropping attention grabber**
- **Easy to use, just insert a memory card and turning it on, no computer required**
- **Runs still images and movie files**
- **Easy to copy files through USB port or memory cards**
- **Eco friendly automatic timer to save energy when you are not there**
- **Supplied with a programme to allow complete scheduling normally only available as an expensive separate software from other suppliers**
- **Special and easy installation, no damage to the building**

# LCD Enclosure Global - Anything else is a compromise.

- Split screen feature enables display of message ticker
- Remote function for your convenience and high secrecy
- Lock protect for secure multimedia cards and files



## Applications.

This new range of LCD displays is purpose built to operate as a digital poster suitable for applications in retail; public service such as hospitals, financial institutions and places of entertainment such as a gym or cinema. They are supplied with a wall mount for mounting in Portrait mode and can also be mounted in landscape too.

Each display includes an integrated media player that will accept CF or SD media cards or USB memory sticks.

If you have an application where a continuous display of images or text is required and where the data is only changed occasionally but with ease, then this is a very cost effective solution.

Simply insert a SD Memory Card and power on. The screen automatically starts playing the images, video and music that are loaded onto the card. You can set the play order and interval time of each slide and start and stop times, giving you complete control over every aspect of your digital presentation.

## Specifications.

|                  |                 |
|------------------|-----------------|
| Model            | 40V             |
| Display          | 40"             |
| Resolution       | 1920 x 1080     |
| Size(mm)         | 711 x 1098 x 65 |
| Display area(mm) | 491.66 x 879.16 |
| Brightness       | 500 cd/m2 max   |
| Ratio            | 16:9            |
| Contrast ratio   | 3000:1 typ.     |

# LCD Enclosure Global - Anything else is a compromise.

|                    |   |
|--------------------|---|
| Input voltage      | AC110~240V(50Hz~60Hz)   |
| Working temp       | 0°C to 50°C   |
| Media formats      | VIDEO(MPEG,AVI,Divx,Xvid,VOB),MP3,JPEG  |
| Memory             | 2GB   |
| Audio              | 2W,8Ω   |
| Port               | SD/USB  |
| Default start mode | JPEG,MP3  |
| Hanging hole(mm)   | 500x600(Landscape or portrait hanging),<br>600x400(VESA), 400x200(VESA),200x200(VESA) |
| Box details(mm)    | 1300 x 914 x 243  |
| Accessories        | AC Cable, CD, Key, Remote Control, Hanging board                                      |

**Call now for more information:**

**European Office Number +44 (0)844 3578687**  
**USA Office Number 1-888-460-3573**